

STÖCKL  
PARKETT

FIRST STEP FOR LIVING

# Price List

March 2026 | EN

We bring nature into your spaces



## Availability

**LA** - stock item: product available in stock

**BA** - order item: product to be ordered (not in stock)

**AU** - discontinued items: on request

**AN** - byproduct: on request

Errors, printing and typesetting errors excepted.

## Sales & Contact

### Headquarter

#### Stöckl Gesellschaft m.b.H

Heide, 25. Straße 1  
A-3331 Kematen an der Ybbs  
T: +43 7448 / 2178  
E: office@stoeckl.com

### Office hours

#### Monday to thursday:

7.00 – 12.00 &  
13.00 – 16.00

#### Friday:

7.00 – 12.00 Uhr

These symbols will guide you through the price list:



### Head of sales

Johann Bachner  
T: + 43 7448 / 2178 328  
M: +43 664 / 22 61 849  
E: johann.bachner@stoeckl.com

### Sales Austria & South Tyrol

Julian Ebner  
T: +43 650 / 98 50 924  
E: julian.ebner@stoeckl.com

### Sales Vienna, Lower Austria & Burgenland

Walter Siderov  
T: + 43 664 / 28 42 511  
E: walter.siderov@stoeckl.com

### Sales Switzerland

Jörg Waidelich  
T: +49 172 / 68 07 459  
E: joerg.waidelich@stoeckl.com

### Sales Bavaria

Harald Göttel  
T: +49 173 / 64 53 134  
E: harald.goettel@stoeckl.com

### Sales North- & West Germany

Ralf Schreckenbach  
T: +49 176 / 62 708 057  
E: ralf.schreckenbach@stoeckl.com

### Sales Rheinland-Pfalz, Saarland & Hessen

Ralf Sehrt  
T: +49 163 / 65 66 007  
E: ralf.sehrt@stoeckl.com

### Sales Baden-Württemberg, Thüringen & Sachsen

Valentin Lemke  
T: +49 172 / 23 06 529  
E: valentin.lemke@stoeckl.com

### Sales Vienna, Architect support

Maximilian W. Schmutzer  
T: +43 664 / 41 50 109  
E: maximilian.schmutzer@stoeckl.com

## Freight Limit

Free freight limit within Austria, Germany and Switzerland € 4.000,00

Prices exclusive VAT

<b>About Stöckl Parkett</b>	04
<b>Certificates</b>	05
<b>Gradings</b>	06
<b>Colourline &amp; special surfaces</b>	08
<b>EPICO</b>	10
Epico trend 240      2-layer engineered plank	11
Epico trend 190      2-layer engineered plank	12
Epico trend 183 Click   3-layer engineered plank	14
Epico trend 140/6      2-layer engineered plank	15
Epico trend 140      2-layer engineered plank	16
Epico modern 140      2-layer engineered parquet	18
<b>KREATIV</b> 2-layer engineered parquet	21
<b>B:HARD</b>	23
B:hard 271      WoodTec plank	25
B:hard 206      WoodTec plank	27
B:hard 200      WoodTec plank	29
B:hard 151      WoodTec plank	30
B:hard modern      WoodTec plank	32
<b>ACTUS</b>	35
Actus XL 6.0      2-layer engineered parquet	36
Actus XL 4.0      2-layer engineered parquet	37
Actus XL 3.0      2-layer engineered parquet	39
Actus Emocion 6.0      2-layer engineered parquet	40
Actus Emocion 4.0      2-layer engineered parquet	41
Actus 6.0      2-layer engineered parquet	44
Actus 4.0      2-layer engineered parquet	45
Actus 3.0      2-layer engineered parquet	47
<b>ELEMENTS PARALLEL</b> 2-layer engineered parquet	49
<b>Skirting boards</b>	51
<b>Adhesive, care &amp; underlay mats</b>	52
<b>Stair edges</b>	53
<b>General terms &amp; conditions</b>	54

## About Stöckl Parkett

---

The family owned company STÖCKL Parkett, based in Kematen a. d. Ybbs in Austria, was founded in 1977. The production of parquet floors takes place exclusively in Lower Austria.

### Health. Tradition. Nature. Design.

We offer a wide range of real wood flooring with many different installation options. From 2-layer parquet, innovative WoodTec floors, stair edges and matching skirting boards.

STÖCKL Parkett's aim is to act in harmony with nature and create a healthy basis for your home, with traditional craftsmanship and the durability of the wood products characterising the company's philosophy.

With a focus on sustainability, the intention is to create a healthy foundation for your rooms that you will enjoy for a long time. The entire wood comes from sustainable forestry, which is proven by numerous certificates.

### Products

#### Products

Our product family consists of three members: **EPICO**, **B:HARD** and **ACTUS**. Each product line is characterised by different properties.

#### B:hard

Is a WoodTec Floor, which (as the name suggests) is characterised by a reinforced wood surface.

Thanks to a unique technology, the surface of the wood is additionally reinforced and hardened. The ideal companion for anyone who needs a particularly hard-wearing and durable wooden floor.

**B:hard modern** is a herringbone variant measuring 774 x 129 mm.

#### Epico

Is a large-dimension plank.

This member of our product family is particularly varied in its colours and variations.

**Epico modern** is a variant of the classic Epico parquet that can be laid in a herringbone pattern.

#### Actus

Is the traditional parquet strip. It is characterised by small and fine strips.

Ideal for a variety of laying patterns such as herringbone and co.





With **PEFC** certification, we are setting an example in terms of production chain verification for our wood products. The wood we use for our flooring comes from controlled sustainable forestry to contribute to the preservation of valuable forests. The certification guarantees sustainable forest management and processing.



We subject our supply chain to an international standard and undertake to fulfill the corresponding requirements of **ISO 38200**. This involves ensuring the traceability of wood and providing proof of origin and legality along the entire supply chain. ISO 38200:2018 thus also supports UN Goal 12 (SDG 12) 'Sustainable consumption and production'.



The environmental management system in accordance with **ISO 14001** is constantly improving our company's environmental performance. The ongoing development of our processes strives to improve our company's environmental footprint.



The **eco-Institut** label is a certification mark for products with strict pollutant and emission requirements based on the latest international research. This labelling gives you the assurance to use the product in your living space without any restrictions. For health-conscious consumers.



The European Ecolabel (ECO 035) confirms compliance with strict environmental and health criteria throughout the entire product lifecycle. Our ACTUS, B:HARD, and EPICO product lines meet the requirements of EU Regulation (EC) No. 66/2010 and are eligible to bear the EU Ecolabel until December 31, 2027. The label represents environmentally friendly raw material sourcing, responsible production, and low-emission products for healthy living spaces.



**style:**

Natural color differences, plain appearance, slight grain, small dot knots, oak-typical pith rays



**natura:**

Plain appearance, slight differences in structure and colour, light grain, small knots



**charakter:**

Lively structure, clear colour & texture differences, strong grain, filled knots, sapwood content



**ambiente:**

Very lively appearance, clear differences in colour and structure, medium & large filled knots, sapwood content

## Gradings Actus

---



**exquisit:**

Slight natural colour differences, very plain appearance, occasional small knots, oak-typical pith-rays



**select:**

Slight colour differences, very plain appearance, light grain, small knots, oak-typical pith-rays



**natur:**

Natural slight colour differences, simple appearance, low grain, smaller firmly grown healthy knots, oak-typical pith-rays



**design:**

Natural colour differences, lively appearance, stronger grain, small knots, low sapwood content



**struktur:**

Lively appearance, clear differences in colour & structure, strong grain, small & medium filled knots, sapwood content




**lebhaft:**

Clear differences in colour and structure, strong sapwood content, small knots



**ambiente:**

Very lively appearance, clear differences in colour and structure, medium & large filled knots, sapwood content



oak calcit



oak diamant



oak saphir



oak bernstein



oak havanna



oak earth



oak tobacco




smoked oak basalt




oak weiß



oak braun



oak planed



oak chopped



oak rough sawn



oak aged (achat)

**Oil:**

High-quality, hard wearing oil

**Matt lacquer forte:**

Strong, 7-layer matte lacquer finish

With the highest abrasion class according to ÖNORM

**pure:**

Super matt look

**Matt lacquer forte „plus“ (on request):**

Even higher abrasion class for special surface requirements

**Brushed:**

Soft wood parts are removed by machine brushing. This results in a decently reinforced wood structure.

**Rough sawn:**

Striking texture with saw marks

**Planed:**

Irregular, clearly recognisable wavy appearance

**Chopped:**

Visually and haptically very strongly elaborated wood structure

**Bevelled:**

Micro bevelled on 4 sides

# EPICO

**EPICO** are our plank-formats.

This member of our product family is particularly varied in all colours and variations.

**EPICO modern** is a variant of our classic EPICO parquet, which can be laid in a herringbone pattern.



# EPICO trend 240

2-layer engineered plank


<b>DIMENSION</b>	<b>2400*240*9,5 mm</b>
<b>TOP LAYER</b>	approx. 3 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	plank
<b>PACKAGE SIZE</b>	2,88 m <sup>2</sup>
<b>PALLET SIZE</b>	129,6 m <sup>2</sup> / 45 packages
<b>WEIGHT</b>	approx. 7,6 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	style	matt lacquer forte		✓	BA	16437	158,00
		oil	✓	✓	BA	16433	158,00
	charakter	matt lacquer forte		✓	BA	16689	96,00
		oil	✓	✓	BA	16434	96,00
smoked oak	charakter	matt lacquer forte		✓	BA	16713	113,20
		oil	✓	✓	BA	16712	113,20

### COLOURLINE

oak	charakter diamant	matt lacquer forte		✓	BA	16708	102,00
		oil	✓	✓	BA	16704	102,00
	charakter saphir	matt lacquer forte		✓	BA	16709	102,00
		oil	✓	✓	BA	16438	102,00
	charakter bernstein	matt lacquer forte		✓	BA	20419	102,00
		oil	✓	✓	BA	20420	102,00



diamant

saphir

bernstein

### MATCHING SKIRTING BOARDS

product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80

### ADHESIVE

product type	product name	container	availability	prod. no	EUR
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# EPICO trend 190

2-layer engineered plank

<b>DIMENSION</b>	<b>2100*190*9,5 mm</b>
<b>TOP LAYER</b>	approx. 3 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	plank
<b>PACKAGE SIZE</b>	2,8 m <sup>2</sup>
<b>PALLET SIZE</b>	123,2 m <sup>2</sup> / 44 packages
<b>WEIGHT</b>	approx. 7,6 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	style	matt lacquer forte		✓	BA	16033	140,00
		oil	✓	✓	BA	15018	140,00
	natura	matt lacquer forte		✓	BA	20716	115,50
		oil	✓	✓	BA	20715	115,50
	charakter	matt lacquer forte		✓	BA	16034	66,40
		oil	✓	✓	LA	14622	66,40
oak broncé	charakter	oil	✓	✓	BA	19382	94,80
smoked oak	charakter	matt lacquer forte		✓	BA	16400	93,40
		oil	✓	✓	BA	15415	93,40
am. walnut	charakter	matt lacquer forte		✓	BA	16399	103,00
		oil	✓	✓	BA	15865	103,00
<b>COLOURLINE</b>							
oak	natura calcit	pure	✓	✓	BA	20744	124,50
	charakter calcit	pure	✓	✓	BA	17432	75,40
	natura diamant	matt lacquer forte		✓	BA	20736	120,50
		oil	✓	✓	BA	20727	120,50
		pure	✓	✓	BA	20745	124,50
	charakter diamant	matt lacquer forte		✓	BA	16404	71,40
		oil	✓	✓	LA	15539	71,40
		pure	✓	✓	BA	18991	75,40
	natura saphir	matt lacquer forte		✓	BA	20737	120,50
		oil	✓	✓	BA	20728	120,50
		pure	✓	✓	BA	20746	124,50
	charakter saphir	matt lacquer forte		✓	BA	15926	71,40
		oil	✓	✓	LA	15229	71,40
		pure	✓	✓	BA	17885	75,40
	charakter bernstein	oil	✓	✓	BA	18285	71,40
	charakter havanna	matt lacquer forte	✓	✓	BA	18378	74,40
		oil	✓	✓	BA	19886	74,40

COLOURLINE							
oak	charakter earth	matt lacquer forte	✓	✓	BA	18379	74,40
		oil	✓	✓	BA	19534	74,40
	charakter tobacco	matt lacquer forte	✓	✓	BA	18380	74,40
		oil	✓	✓	BA	19882	74,40
smoked oak	charakter basalt	oil	✓	✓	BA	20753	102,40



SPECIAL SURFACES							
oak	rough sawn	oil	✓	✓	BA	18432	92,20
	planed	oil	✓	✓	BA	18382	92,20
	chopped	oil	✓	✓	BA	18433	92,20
oak Colourline	aged achat	oil	✓	✓	BA	18169	92,20
	rough sawn saphir	oil	✓	✓	BA	18381	92,20

## ADDITIONAL FORMATS

EPICO trend 170 Dimension: 2050*170*9,5 mm (on request)							
wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	charakter	matt lacquer forte	✓		AN	19943	62,00
		oil	✓	✓	AN	16728	62,00

EPICO Dimension: 1820*190*9,5 mm (on request)							
wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	style	matt lacquer forte		✓	AN	20421	125,00
		oil	✓	✓	AN	20422	125,00

MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80

ADHESIVE					
product type	product name	container	availability	prod. no	EUR
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg

You can find more detailed information on our accessories from p. 51


Prices exclusive VAT

# EPICO trend 183 Click 3-layer engineered plank

<b>DIMENSION</b>	<b>2100*183*10 mm</b>
<b>PROFILE</b>	5G®/2G®
<b>TOP LAYER</b>	approx. 3 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	plank
<b>PACKAGE SIZE</b>	2,69 m <sup>2</sup>
<b>PALLET SIZE</b>	123,2 m <sup>2</sup> / 44 packages
<b>WEIGHT</b>	approx. 7,6 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	charakter	matt lacquer forte		✓	BA	20565	76,20
		oil	✓	✓	BA	20567	76,20
<b>COLOURLINE</b>							
oak	charakter diamant	matt lacquer forte		✓	BA	20568	80,30
		oil	✓	✓	BA	20569	80,30
	charakter saphir	matt lacquer forte		✓	BA	20570	80,30
		oil	✓	✓	BA	20571	80,30
	charakter bernstein	oil	✓	✓	BA	20572	80,30



diamant      saphir      bernstein

MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80

### ADHESIVE

product type	product name	container	availability	prod. no	EUR
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# EPICO trend 140/6 2-layer engineered plank

<b>DIMENSION</b>	<b>1400*140*11,5 mm</b>
<b>TOP LAYER</b>	approx. 6 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	plank
<b>PACKAGE SIZE</b>	1,56 m <sup>2</sup>
<b>PALLET SIZE</b>	85,8 m <sup>2</sup> / 55 packages
<b>WEIGHT</b>	approx. 10,6 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	style	matt lacquer forte		✓	BA	20177	118,00
		oil	✓	✓	BA	17130	118,00
	charakter	matt lacquer forte		✓	BA	20178	84,00
		oil	✓	✓	BA	17818	84,00
<b>COLOURLINE</b>							
oak	charakter diamant	matt lacquer forte		✓	BA	20179	90,00
		oil	✓	✓	BA	20181	90,00
	charakter saphir	matt lacquer forte		✓	BA	20180	90,00
		oil	✓	✓	BA	20182	90,00



MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80

### ADHESIVE

product type	product name	container	availability	prod. no	EUR
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# EPICO trend 140 2-layer engineered plank

<b>DIMENSION</b>	<b>1400*140*9,5 mm</b>
<b>TOP LAYER</b>	with approx. 3 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	plank
<b>PACKAGE SIZE</b>	1,96 m <sup>2</sup>
<b>PALLET SIZE</b>	107,6 m <sup>2</sup> / 55 packages
<b>WEIGHT</b>	approx. 7,6 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	style	matt lacquer forte		✓	BA	15985	84,00
		oil	✓	✓	BA	15915	84,00
	natura	matt lacquer forte		✓	BA	20718	76,00
		oil	✓	✓	BA	20717	76,00
	charakter	matt lacquer forte		✓	BA	15984	63,00
		oil	✓	✓	LA	15916	63,00
ambiente	oil	✓	✓	BA	19679	54,00	
smoked oak	charakter	matt lacquer forte		✓	BA	15987	89,50
		oil	✓	✓	BA	15986	89,50
am. walnut	style	matt lacquer forte		✓	BA	16718	163,80
		oil	✓	✓	BA	16640	163,80
<b>COLOURLINE</b>							
oak	natura calcit	pure	✓	✓	BA	20747	84,00
	charakter calcit	pure	✓	✓	BA	17433	71,00
	natura diamant	matt lacquer forte		✓	BA	20739	80,00
		oil	✓	✓	BA	20730	80,00
		pure	✓	✓	BA	20748	84,00
	charakter diamant	matt lacquer forte		✓	BA	16049	67,00
		oil	✓	✓	LA	15974	67,00
		pure	✓	✓	BA	20423	71,00
	natura saphir	matt lacquer forte		✓	BA	20740	80,00
		oil	✓	✓	BA	20731	80,00
		pure	✓	✓	BA	20749	84,00
	charakter saphir	matt lacquer forte		✓	BA	16050	67,00
		oil	✓	✓	LA	15940	67,00
		pure	✓	✓	BA	19535	71,00
	charakter bernstein	oil	✓	✓	BA	19480	67,00
	charakter havanna	matt lacquer forte	✓	✓	BA	18386	69,00
oil		✓	✓	BA	19433	69,00	

COLOURLINE							
oak	charakter earth	matt lacquer forte	✓	✓	BA	18387	69,00
		oil	✓	✓	BA	19541	69,00
	charakter tobacco	matt lacquer forte	✓	✓	BA	18388	69,00
		oil	✓	✓	BA	19435	69,00
smoked oak	charakter basalt	oil	✓	✓	BA	20756	98,50




calcit



diamant



saphir



bernstein




havanna



earth



tobacco



basalt

## ADDITIONAL FORMATS

EPICO trend 120 Dimension: 1350*120*9,5 mm (on request)							
wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	charakter	oil	✓	✓	AN	16746	59,00

MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80

ADHESIVE					
product type	product name	container	availability	prod. no	EUR
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# EPICO modern 140 2-layer engineered plank

<b>DIMENSION</b>	<b>690*140*9,5 mm</b>
<b>PROFILE</b>	Nut & Feder
<b>TOP LAYER</b>	approx. 3 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	herringbone, brick pattern, staggered chess
<b>PACKAGE SIZE</b>	1,932 m <sup>2</sup>
<b>PALLET SIZE</b>	108,19 m <sup>2</sup> / 56 packages
<b>WEIGHT</b>	approx. 7,6 kg / m <sup>2</sup>




wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	style	matt lacquer forte		✓	BA	18732	91,20
		oil	✓	✓	BA	18733	91,20
	charakter	matt lacquer forte		✓	BA	18734	76,50
		oil	✓	✓	BA	18735	76,50
smoked out	charakter	oil	✓	✓	BA	19476	103,00

## COLOURLINE

oak	style calcit	pure	✓	✓	BA	20585	95,20	
	charakter calcit	pure	✓	✓	BA	20056	80,50	
	style diamant	matt lacquer forte			✓	BA	20587	95,20
		oil	✓	✓	BA	18764	95,20	
		Pure	✓	✓	BA	20586	99,20	
	charakter diamant	matt lacquer forte			✓	BA	20425	80,50
		oil	✓	✓	LA	18765	80,50	
		pure	✓	✓	BA	20426	84,50	
	style saphir	matt lacquer forte			✓	BA	20588	95,20
		oil	✓	✓	BA	18745	95,20	
		pure	✓	✓	BA	20589	99,20	
	charakter saphir	matt lacquer forte			✓	BA	20427	80,50
		oil	✓	✓	LA	18746	80,50	
		pure	✓	✓	BA	20428	84,50	
	charakter bernstein	oil	✓	✓	BA	20430	80,50	
	charakter havanna	matt lacquer forte	✓	✓	BA	20431	82,50	
		oil	✓	✓	BA	19458	82,50	
	charakter earth	matt lacquer forte	✓	✓	BA	20432	82,50	
		oil	✓	✓	BA	20433	82,50	
	charakter tobacco	matt lacquer forte	✓	✓	BA	20434	82,50	
oil		✓	✓	BA	20435	82,50		
smoked oak	charakter basalt	oil	✓	✓	BA	20702	112,00	




calcit




diamant




saphir




bernstein




havanna



earth



tobacco



basalt

**MATCHING SKIRTING BOARDS**

product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matchng the floor	7,10
		oak raw	✓		LA	15933	4,80
<b>ADHESIVE</b>							
product type	product name		container	availability	prod. no.	EUR	
adhesive	Bostik Wood 180 Classic		17 kg	LA	15969	6,50 / kg	

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# EPICO Accessories

STAIR SYSTEMS					
product name	dimension	surface	availability	oak EUR / RM	smoked oak & am. walnut EUR / rM
stair edge profile A	40*20 mm	matt lacquer forte, oil	BA	33,20	44,80
		Colourline	BA	36,20	47,90
stair edge profile B	20*10 mm	matt lacquer forte, oil	BA	30,90	41,60
		Colourline	BA	33,90	44,70

MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oak matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		white opaque	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oak matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80
angled skirting profile A	23*32*2400 mm	oak matt lacquer		✓	LA	12888	4,80
solid skirting profile B	10*35*2400 mm	oak matt lacquer		✓	LA	12910	4,80

ADHESIVE, CLEANING & CARE					
product type	product name	container	availability	prod. no.	EUR
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg
cleaner for oiled surfaces	Adler, Legno wood floor soap	1000 ml	LA	17578	24,80 / liter
care for oiled surfaces	Adler, Legno care oil	1000 ml	LA	17640	15,60 / liter
cleaner for lacquered surfaces	Adler, Clean parquet cleaner	1000 ml	LA	17581	19,00 / liter
care for lacquered surfaces	Adler, Clean parquet care	1000 ml	LA	17580	27,50 / liter

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# KREATIV

With **KREATIV**, the only limit is your imagination.

All imaginable classic or modern laying patterns are possible.

Sizes: 720 x 240 mm and 480 x 240 mm



# KREATIV 2-Schicht Fertigparkett

<b>DIMENSIONS</b>	<b>480 / 720*240*9,5 mm</b>
<b>TOP LAYER</b>	approx. 3 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	26 laying pattern
<b>PACKAGE SIZE</b>	480 mm: 1,728 m <sup>2</sup> 720 mm: 2,592 m <sup>2</sup>
<b>PALLET SIZE</b>	93,312 m <sup>2</sup> 480 mm: 54 packages 720 mm: 36 packages
<b>WEIGHT</b>	approx. 7,6 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	EUR / m <sup>2</sup>
oak	style	matt lacquer forte		✓	BA	139,00
		oil	✓	✓	BA	139,00
	charakter	matt lacquer forte		✓	BA	107,10
		oil	✓	✓	BA	107,10
smoked oak	style	matt lacquer forte		✓	BA	160,70
		oil	✓	✓	BA	160,70
<b>COLOURLINE</b>						
oak	style diamant	oil	✓	✓	BA	146,00
	charakter diamant	oil	✓	✓	BA	112,10
	style saphir	oil	✓	✓	BA	146,00
	charakter saphir	oil	✓	✓	BA	112,10



MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80

### ADHESIVE

product type	product name	container	availability	prod. no.	EUR
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# **B:**hard

IT'S WOOD. IT'S HARD. IT'S NATURE.

**B:HARD** is Pow(d)er Wood, which is characterised by a reinforced wood surface.

The surface is refined using a special technology, giving B:hard its particularly robust properties.




## Advantages and facts at a glance:

- More resistant and harder
- Best ecological values with the of lowest consumption of resources
- High impact resistance
- Best fire class Bfl-S1
- Ideal for underfloor heating
- Quick and easy to install
- Easy to clean



WITH 5G DRY - MICRO BEVEL!




**B:hard**  
*H:eat smart*

The most resistant floor and cosiest comfort heating in one

The carbon technology works highly efficiently and is characterised, among other things, by a short reaction time of approx. 30 minutes as well as room-by-room and demand-based control. The low-temperature surface heating is energy-saving and healthy for the legs.

As a large-area radiant element, the heating system heats all surrounding surfaces efficiently, creating an enveloping surface warmth. **The heating system matches every B:hard real wood floor.**



# B:HARD 271 WoodTec-plank

<b>DIMENSION</b>	<b>2376*271*11 mm</b>
<b>PROFILE</b>	with 5G®/-Dry bevel
<b>CORE LAYER</b>	Compositek™
<b>LAYING PATTERN</b>	plank
<b>PACKAGE SIZE</b>	2,575 m <sup>2</sup>
<b>PALLET SIZE</b>	108,15 m <sup>2</sup> / 42 packages
<b>WEIGHT</b>	approx. 11,14 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	style	matt lacquer forte	✓	✓	LA	20436	74,20
		Öl	✓	✓	LA	20437	74,20
	charakter	matt lacquer forte	✓	✓	LA	20440	65,90
		Öl	✓	✓	LA	20442	65,90
<b>COLOURLINE</b>							
oak	natura calcit	matt lacquer forte	✓	✓	BA	20444	74,20
		oil	✓	✓	BA	20446	74,20
	natura diamant	matt lacquer forte	✓	✓	BA	20448	74,20
		oil	✓	✓	BA	20450	74,20
	natura saphir	matt lacquer forte	✓	✓	BA	20452	74,20
		oil	✓	✓	BA	20454	74,20
	natura bernstein	matt lacquer forte	✓	✓	BA	20460	74,20
		oil	✓	✓	BA	20462	74,20
	natura havanna	matt lacquer forte	✓	✓	BA	20468	76,20
		oil	✓	✓	BA	20470	76,20
	natura earth	matt lacquer forte	✓	✓	BA	20472	76,20
		oil	✓	✓	BA	20474	76,20
	natura tobacco	matt lacquer forte	✓	✓	BA	20476	76,20
		oil	✓	✓	BA	20478	76,20



<b>B:HARD - H:EAT SMART</b>			
product name	availability	prod. no.	EUR / m <sup>2</sup>
heating system (carbon-heating layer, insulation layer, reflective foil )	LA	20149	125,70

# ADDITIONAL FORMATS

<b>B:HARD 283</b>							
<b>Dimension: 2200*283*11 mm (on request)</b>							
wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	charakter	oil	✓	✓	AU	17649	60,00
oak broncé	charakter	oil	✓	✓	AU	17651	79,00

<b>MATCHING SKIRTING BOARDS</b>							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80
<b>ADHESIVE</b>							
product type	product name		container	availability	prod. no	EUR	
adhesive	Bostik Wood 180 Classic		17 kg	LA	15969	6,50 / kg	

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# B:HARD 206 WoodTec-plank

<b>DIMENSION</b>	<b>2200*206*11 mm</b>
<b>PROFILE</b>	with 5G®/-Dry bevel
<b>CORE LAYER</b>	Compositek™
<b>LAYING PATTERN</b>	plank
<b>PACKAGE SIZE</b>	2,266 m <sup>2</sup>
<b>PALLET SIZE</b>	108,768 m <sup>2</sup> / 48 packages
<b>WEIGHT</b>	approx. 11,14 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	style	matt lacquer forte	✓	✓	LA	20339	66,50
		oil	✓	✓	LA	20333	66,50
	charakter	matt lacquer forte	✓	✓	LA	20367	60,00
		oil	✓	✓	LA	20369	60,00
am. walnut	style	matt lacquer forte	✓	✓	BA	20403	92,00
		oil	✓	✓	BA	20405	92,00
	charakter	matt lacquer forte	✓	✓	BA	20407	78,00
		oil	✓	✓	BA	20409	78,00

### COLOURLINE

oak	natura calcit	matt lacquer forte	✓	✓	BA	20379	67,00
		oil	✓	✓	BA	20381	67,00
	natura diamant	matt lacquer forte	✓	✓	BA	20375	67,00
		oil	✓	✓	BA	20377	67,00
	natura saphir	matt lacquer forte	✓	✓	BA	20371	67,00
		oil	✓	✓	BA	20373	67,00
	natura bernstein	matt lacquer forte	✓	✓	BA	20411	67,00
		oil	✓	✓	BA	20413	67,00
	natura havanna	matt lacquer forte	✓	✓	BA	20395	69,00
		oil	✓	✓	BA	20397	69,00
	natura earth	matt lacquer forte	✓	✓	BA	20391	69,00
		oil	✓	✓	BA	20393	69,00
	natura tobacco	matt lacquer forte	✓	✓	BA	20387	69,00
		oil	✓	✓	BA	20389	69,00



<b>B:HARD - H:EAT SMART</b>			
product name	availability	prod. no.	EUR / m <sup>2</sup>
heating system (carbon-heating layer, insulation layer, reflective foil )	LA	20149	125,70

# ADDITIONAL FORMATS

## B:HARD 223

Dimension: 2200\*223\*11 mm (on request)

wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	crack	oil	✓	✓	AU	17929	71,00
am. walnut	charakter	oil	✓	✓	AU	17270	73,00

### MATCHING SKIRTING BOARDS

product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80

### ADHESIVE

product type	product name	container	availability	prod. no	EUR
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# B:HARD 200 WoodTec-plank

<b>DIMENSION</b>	<b>2030*200*9 mm</b>
<b>PROFILE</b>	with 5G®/-Dry bevel
<b>CORE LAYER</b>	Compositek™
<b>LAYING PATTERN</b>	multi-strip-plank
<b>PACKAGE SIZE</b>	2,436 m <sup>2</sup>
<b>PALLET SIZE</b>	121,8 m <sup>2</sup> / 50 packages
<b>WEIGHT</b>	approx. 9 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	natura	Lack		✓	BA	31020	48,00
<b>COLOURLINE</b>							
oak	natura weiß	Lack		✓	BA	31021	52,00
	natura braun	Lack		✓	BA	31022	52,00



<b>B:HARD - H:EAT SMART</b>			
product name	availability	prod. no.	EUR / m <sup>2</sup>
heating system (carbon-heating layer, insulation layer, reflective foil)	LA	20149	125,70

<b>MATCHING SKIRTING BOARDS</b>							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80

<b>ADHESIVE</b>					
product type	product name	container	availability	prod. no	EUR
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# B:HARD 151 WoodTec-plank

<b>DIMENSION</b>	<b>2000*151*9 mm</b>
<b>PROFILE</b>	with 5G®/-Dry bevel
<b>CORE LAYER</b>	Compositiek™
<b>LAYING PATTERN</b>	plank
<b>PACKAGE SIZE</b>	2,114 m <sup>2</sup>
<b>PALLET SIZE</b>	116,7 m <sup>2</sup> / 55 packages
<b>WEIGHT</b>	approx. 9 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	natura	matt lacquer forte	✓	✓	LA	20483	57,50
		Öl	✓	✓	LA	20486	57,50
<b>COLOURLINE</b>							
oak	natura calcit	matt lacquer forte	✓	✓	BA	20488	61,50
		oil	✓	✓	BA	20490	61,50
	natura diamant	matt lacquer forte	✓	✓	BA	20492	61,50
		oil	✓	✓	BA	20494	61,50
	natura saphir	matt lacquer forte	✓	✓	BA	20496	61,50
		oil	✓	✓	BA	20498	61,50
	natura bernstein	matt lacquer forte	✓	✓	BA	20504	61,50
		oil	✓	✓	BA	20506	61,50
	natura havanna	matt lacquer forte	✓	✓	BA	20512	63,50
		oil	✓	✓	BA	20514	63,50
	natura earth	matt lacquer forte	✓	✓	BA	20516	63,50
		oil	✓	✓	BA	20518	63,50
	natura tobacco	matt lacquer forte	✓	✓	BA	20520	63,50
		oil	✓	✓	BA	20522	63,50



<b>B:HARD - H:EAT SMART</b>			
product name	availability	prod. no.	EUR / m <sup>2</sup>
heating system (carbon-heating layer, insulation layer, reflective foil )	LA	20149	125,70

**MATCHING SKIRTING BOARDS**

product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matchng the floor	7,10
		oak raw	✓		LA	15933	4,80

**ADHESIVE**

product type	product name	container	availability	prod. no	EUR
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# B:HARD modern WoodTec-herringbone

<b>DIMENSION</b>	<b>774*129*11 mm</b>
<b>PROFILE</b>	with 5G® bevel
<b>CORE LAYER</b>	Compositek™
<b>LAYING PATTERN</b>	herringbone
<b>PACKAGE SIZE</b>	1,997 m <sup>2</sup>
<b>PALLET SIZE</b>	87,868 m <sup>2</sup> / 44 packages
<b>WEIGHT</b>	approx. 11,12 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	style	matt lacquer forte	✓	✓	BA	18846	74,20
		oil	✓	✓	BA	18845	72,00
<b>COLOURLINE</b>							
oak	style calcit	matt lacquer forte	✓	✓	BA	20524	78,30
		oil	✓	✓	BA	19369	78,30
	style diamant	matt lacquer forte	✓	✓	BA	18993	78,30
		oil	✓	✓	BA	18876	78,30
	style saphir	matt lacquer forte	✓	✓	BA	18994	78,30
		oil	✓	✓	BA	18877	78,30
	style bernstein	matt lacquer forte	✓	✓	BA	20530	78,30
		oil	✓	✓	BA	20532	78,30
	style havanna	matt lacquer forte	✓	✓	BA	20534	80,30
		oil	✓	✓	BA	19380	80,30
	style earth	matt lacquer forte	✓	✓	BA	20538	80,30
		oil	✓	✓	BA	20540	80,30
	style tobacco	matt lacquer forte	✓	✓	BA	20542	80,30
		oil	✓	✓	BA	20544	80,30



<b>B:HARD - H:EAT SMART</b>			
product name	availability	prod. no.	EUR / m <sup>2</sup>
heating system (carbon-heating layer, insulation layer, reflective foil )	LA	20149	125,70

**MATCHING SKIRTING BOARDS**

<b>product name</b>	<b>dimension</b>	<b>wood type   surface</b>	<b>veneer</b>	<b>solid</b>	<b>availability</b>	<b>prod. no.</b>	<b>EUR / LM</b>
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matchng the floor	7,10
		oak raw	✓		LA	15933	4,80
<b>ADHESIVE</b>							
<b>product type</b>	<b>product name</b>		<b>container</b>	<b>availability</b>	<b>prod. no</b>	<b>EUR</b>	
adhesive	Bostik Wood 180 Classic		17 kg	LA	15969	6,50 / kg	

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# B:HARD Accessories

STAIR SYSTEMS					
product name	dimension	surface	availability	oak EUR / RM	smoked oak & am. walnut EUR / rM
stair edge profile A	40*20 mm	matt lacquer forte, oil	BA	33,20	44,80
		Colourline	BA	36,20	47,90
stair edge profile B	20*10 mm	matt lacquer forte, oil	BA	30,90	41,60
		Colourline	BA	33,90	44,70

MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oak matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		white opaque	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oak matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80
angled skirting profile A	23*32*2400 mm	oak matt lacquer		✓	LA	12888	4,80
solid skirting profile B	10*35*2400 mm	oak matt lacquer		✓	LA	12910	4,80

ADHESIVE, CLEANING & CARE						
product type	product name	container	availability	prod. no.	EUR	
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg	
cleaner for oiled surfaces	Adler, Legno wood floor soap	1000 ml	LA	17578	24,80 / liter	
care for oiled surfaces	Adler, Legno care oil	1000 ml	LA	17640	15,60 / liter	
cleaner for lacquered surfaces	Adler, Clean parquet cleaner	1000 ml	LA	17581	19,00 / liter	
care for lacquered surfaces	Adler, Clean parquet care	1000 ml	LA	17580	27,50 / liter	
Underlay mat	Universol Standard Alu 3IN1	8 m <sup>2</sup> /roll	18906	LA	6,80 / m <sup>2</sup>	
Underlay mat	Universol Standard 2.0	8 m <sup>2</sup> /roll	17243	LA	6,40 / m <sup>2</sup>	

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# ACTUS

**ACTUS** is the traditional parquet strip.  
It is characterised by small and fine strips.

**ACTUS XL** is the largest version with the dimension: 1000\*90 mm



# Actus XL 6.0 2-layer engineered parquet

<b>DIMENSION</b>	<b>1000*90*11,5 mm</b>
<b>TOP LAYER</b>	approx. 6 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	brick pattern, wild bond
<b>PACKAGE SIZE</b>	1,980 m <sup>2</sup>
<b>PALLET SIZE</b>	63,36 m <sup>2</sup> / 32 packages
<b>WEIGHT</b>	approx. 8,915 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	select	matt lacquer forte			BA	16280	98,00
		oil			BA	20184	100,00
	design	matt lacquer forte			BA	16369	89,00
		oil			BA	16628	91,00
	ambiente	matt lacquer forte			BA	17417	79,00
		oil			BA	20185	81,00
<b>COLOURLINE</b>							
oak	select calcit	pure			BA	20187	104,00
	design calcit	pure			BA	20189	95,00
	struktur calcit	pure			BA	20191	85,00



calcit

<b>MATCHING SKIRTING BOARDS</b>							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80

### ADHESIVE

product type	product name	container	availability	prod. no	EUR
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# Actus XL 4.0 2-layer engineered parquet

<b>DIMENSION</b>	<b>1000*90*9,5 mm</b>
<b>TOP LAYER</b>	approx. 4 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	brick pattern, wild bond
<b>PACKAGE SIZE</b>	2,34 m <sup>2</sup>
<b>PALLET SIZE</b>	74,88 m <sup>2</sup> / 32 packages
<b>WEIGHT</b>	approx. 7,9 kg / m <sup>2</sup>




wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	select	matt lacquer forte			BA	16274	70,50
		oil			BA	16518	72,50
	design	matt lacquer forte			BA	15015	66,00
		oil			LA	15016	68,00
		oil	✓	✓	BA	16459	75,00
	struktur	matt lacquer forte			BA	16520	54,00
		oil			BA	16517	56,00
	lebhaft	oil			AN	18971	55,00
	ambiente	oil			AN	15284	54,00
	smoked oak	design	oil	✓	✓	BA	16467
am. walnut	design	oil	✓	✓	BA	16464	134,00
<b>COLOURLINE</b>							
oak	design diamant	matt lacquer forte			BA	16786	69,00
		oil	✓		BA	16455	72,50
	design saphir	matt lacquer forte			BA	15643	69,00
		oil	✓		BA	15437	72,50
smoked oak	design basalt	matt lacquer forte			BA		85,00
		oil			BA		87,00



diamant



saphir



basalt

**MATCHING SKIRTING BOARDS**

<b>product name</b>	<b>dimension</b>	<b>wood type   surface</b>	<b>veneer</b>	<b>solid</b>	<b>availability</b>	<b>prod. no.</b>	<b>EUR / LM</b>
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80
<b>ADHESIVE</b>							
<b>product type</b>	<b>product name</b>		<b>container</b>	<b>availability</b>	<b>prod. no.</b>	<b>EUR</b>	
adhesive	Bostik Wood 180 Classic		17 kg	LA	15969	6,50 / kg	

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# Actus XL 3.0 2-layer engineered parquet


<b>DIMENSION</b>	<b>1000*90*8,5 mm</b>
<b>TOP LAYER</b>	approx. 3 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	brick pattern, wild bond
<b>PACKAGE SIZE</b>	2,7 m <sup>2</sup>
<b>PALLET SIZE</b>	86,4 m <sup>2</sup> / 32 packages
<b>WEIGHT</b>	approx. 7,9 kg / m <sup>2</sup>



Cfl-s1



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	select	matt lacquer forte			BA	17829	67,00
		oil			BA	19466	69,00
	design	matt lacquer forte			BA	17832	59,80
		oil	✓		BA	18548	61,80
	ambiente	matt lacquer forte			AN	17834	49,00
COLOURLINE							
oak	diamant	matt lacquer forte	✓		BA	18255	62,80
		oil			BA	20546	64,80
	saphir	matt lacquer forte	✓		BA	17838	62,80
		oil			BA	20547	64,80



diamant

saphir

MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80

### ADHESIVE

product type	product name	container	availability	prod. no	EUR
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# Actus Emocion 6.0

2-layer engineered parquet

<b>DIMENSION</b>	<b>630*90*11,5 mm</b>
<b>TOP LAYER</b>	approx. 6 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	brick pattern, wild bond, herringbone, staggered chess
<b>PACKAGE SIZE</b>	1,814 m <sup>2</sup>
<b>PALLET SIZE</b>	87,072 m <sup>2</sup> / 48 packages
<b>WEIGHT</b>	approx. 8,915 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	select	matt lacquer forte			BA	18918	86,20
		oil			BA	17756	88,20
	design	matt lacquer forte			BA	18968	72,40
		oil			BA	19610	74,70
	struktur	matt lacquer forte			BA	18919	58,00
		oil			BA	17757	61,00
<b>COLOURLINE</b>							
oak	select calcit	pure			BA	17291	94,60
	design calcit	pure			BA	18528	77,60
	struktur calcit	pure			BA	17292	64,00



calcit

<b>MATCHING SKIRTING BOARDS</b>							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80
<b>ADHESIVE</b>							
product type	product name		container	availability	prod. no	EUR	
adhesive	Bostik Wood 180 Classic		17 kg	LA	15969	6,50 / kg	

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# Actus Emocion 4.0 2-layer engineered parquet

<b>DIMENSION</b>	<b>630*90*9,5 mm</b>
<b>TOP LAYER</b>	approx. 4 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	brick pattern, wild bond, herringbone, staggered chess
<b>PACKAGE SIZE</b>	2,155 m <sup>2</sup>
<b>PALLET SIZE</b>	103,44 m <sup>2</sup> / 48 packages
<b>WEIGHT</b>	approx. 7,9 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	select	matt lacquer forte			BA	16913	72,00
		oil			BA	16203	75,00
	design	matt lacquer forte			BA	16474	59,00
		oil			BA	16477	62,00
		oil	✓	✓	LA	16488	67,30
		oil	✓	✓	LA	16488	67,30
	struktur	matt lacquer forte			BA	16475	53,50
		oil			BA	16201	56,50
	struktur/ambiente	oil	✓	✓	AN	17046	49,50
	lebhaft	oil	✓	✓	AN	18837	53,00
		oil			AN	18836	54,00
	ambiente	matt lacquer forte			AN	16476	48,00
oil				AN	15773	51,00	
oil		✓	✓	AN	16489	49,50	
oak broncé	design	oil	✓	✓	BA	19688	74,00
smoked oak	design	oil	✓	✓	BA	16504	74,00
	lebhaft	oil	✓	✓	AN	19214	45,00
am. walnut	design	oil	✓	✓	BA	16502	135,00
<b>COLOURLINE</b>							
oak	design calcit	matt lacquer forte			BA	20548	62,00
		oil		✓	BA	20549	65,50
		pure	✓	✓	BA	18299	68,50
	design diamant	matt lacquer forte			BA	18789	62,00
		oil	✓		BA	16480	65,50
		pure	✓	✓	BA	20550	68,50
	design saphir	matt lacquer forte			BA	16481	62,00
		oil	✓		BA	16483	65,50
		Pure	✓	✓	BA	18358	68,50
	design bernstein	matt lacquer forte			BA	20554	62,00
		oil			BA	20555	65,50

oak	design havanna	matt lacquer forte	✓		BA	20556	64,00
		oil	✓		BA	20557	67,50
	desgin earth	matt lacquer forte	✓		BA	20558	64,00
		oil	✓		BA	20559	67,50
	desgin tobacco	matt lacquer forte	✓		BA	20560	64,00
		oil	✓		BA	20561	67,50
smoked oak	design basalt	matt lacquer forte			BA	20762	81,00
		oil			BA	20761	83,00



SPECIAL SURFACES							
wood type	grading	surface	brushed	bevelled	prod. no.	availability	EUR / m <sup>2</sup>
oak	rough sawn	saphir oil	✓	✓	BA	20768	93,00
	wastewood	chopped oil	✓	✓	BA	18359	95,00

WALL FRIEZE							
wall frieze 140	surface & grading matching the floor	1400*140*9,5 mm			colour matching the floor	LA	23,30 / rm

MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80

ADHESIVE						
product type	product name	container	availability	prod. no.	EUR	
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg	

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# Chevron 60°

<b>DIMENSION</b>	<b>630*90*9,5 mm</b>
<b>TOP LAYER</b>	approx. 4 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	Chevron
<b>PACKAGE SIZE</b>	1,977m <sup>2</sup>
<b>PALLET SIZE</b>	94,896 m <sup>2</sup> / 48 packages
<b>WEIGHT</b>	approx. 7,9 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	design	matt lacquer forte			BA	17402	99,20
	design	oil	✓	✓	BA	16961	102,20
smoked oak	design	oil	✓	✓	BA	16963	110,00
Colourline							
oak	design diamant	oil	✓	✓	BA	18356	105,20
	design saphir	oil	✓	✓	BA	16997	105,20



WALL FRIEZE							
wall frieze 140	surface & grading matching the floor	1400*140*9,5 mm			colour matching the floor	LA	23,30 / rm

MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80

ADHESIVE					
product type	product name	container	availability	prod. no	EUR
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# Actus 6.0 2-layer engineered parquet

<b>DIMENSION</b>	<b>500*70*11,5 mm</b>
<b>TOP LAYER</b>	approx. 6 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	brick pattern, wild bond, herringbone
<b>PACKAGE SIZE</b>	2,1 m <sup>2</sup>
<b>PALLET SIZE</b>	100,8 m <sup>2</sup> / 48 packages
<b>WEIGHT</b>	approx. 8,915 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>	
oak	exquisit	matt lacquer forte			BA	17557	83,00	
		oil			BA	11521	85,00	
	natur	matt lacquer forte			BA	13931	73,80	
		oil			BA	11523	75,80	
	design	matt lacquer forte			BA	11524	66,60	
		oil			BA	13872	68,60	
	struktur	matt lacquer forte			BA	13575	56,20	
		oil			BA	11535	58,20	
	ambiente	matt lacquer forte			BA	11526	48,90	
		oil			BA	15402	50,90	
	smoked oak	select	matt lacquer forte			BA	15333	89,00
			oil			BA	16312	91,00
design		matt lacquer forte			BA	15336	78,00	
		oil			BA	16634	80,00	
struktur/gestreift		matt lacquer forte			AN	15334	45,00	
		oil			AN	16354	47,00	

MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80
ADHESIVE							
product type	product name		container	availability	prod. no	EUR	
adhesive	Bostik Wood 180 Classic		17 kg	LA	15969	6,50 / kg	

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# Actus 4.0 2-layer engineered parquet

<b>DIMENSION</b>	<b>500*70*9,5 mm</b>
<b>TOP LAYER</b>	approx. 4 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	brick pattern, wild bond, herringbone
<b>PACKAGE SIZE</b>	2,52 m <sup>2</sup>
<b>PALLET SIZE</b>	120,96 m <sup>2</sup> / 48 packages
<b>WEIGHT</b>	approx. 7,9 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	exquisit	matt lacquer forte			BA	13089	68,00
		oil			BA	13090	71,00
	natur	matt lacquer forte			BA	13096	59,00
		oil			BA	13098	62,00
	design	matt lacquer forte			LA	13100	54,50
		oil			LA	13085	57,50
	struktur	matt lacquer forte			BA	13119	47,00
		oil			BA	13121	50,50
struktur/ambiente	matt lacquer forte			AN	16794	44,00	
ambiente	matt lacquer forte			AN	13104	42,00	
smoked oak	design	matt lacquer forte			BA	13576	66,50
		oil			BA	13124	69,50
	lebhaft	matt lacquer forte			BA	13125	41,00
beech steamed	natur	matt lacquer forte			BA	13068	55,00
		oil			BA	13069	58,00
	stuktur	matt lacquer forte			AN	13075	38,00
beech unsteamed	natur	matt lacquer forte			BA	13078	55,00
		oil			BA	15295	58,00
can. maple	natur	matt lacquer forte			BA	13022	98,00
		oil			BA	13023	101,50
	struktur	matt lacquer forte			BA	13036	39,80
		oil			BA	13037	42,80
am. walnut	select	matt lacquer forte			BA	14054	108,00
		oil			BA	13169	111,00
	struktur	matt lacquer forte			BA	13172	68,00
		oil			BA	13173	71,00
ash	select	matt lacquer forte			AU	13145	68,30
		oil			AU	13146	71,30
	struktur	matt lacquer forte			AU	13150	49,00
		oil			AU	13151	52,00

# ADDITIONAL FORMATS

ACTUS Dimension: 460*70*9,5 mm (on request)							
wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	design	matt lacquer forte			AU	18445	50,50
		oil			AU	16513	53,50

ACTUS Dimension: 400*70*9,5 mm (on request)							
wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	design/struktur	oil			AU	19388	48,00

MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80

ADHESIVE						
product type	product name	container	availability	prod. no	EUR	
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg	

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# Actus 3.0 2-layer engineered parquet

<b>DIMENSION</b>	<b>500*70*8,5 mm</b>
<b>TOP LAYER</b>	approx. 3 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	brick pattern, wild bond, herringbone
<b>PACKAGE SIZE</b>	2,8 m <sup>2</sup>
<b>PALLET SIZE</b>	134,4 m <sup>2</sup> / 48 packages
<b>WEIGHT</b>	approx. 7,6 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	natur	matt lacquer forte			BA	14600	55,90
		oil			BA	14629	58,90
	design	matt lacquer forte			BA	11014	52,00
		oil			BA	13929	55,00
	struktur	matt lacquer forte			BA	11024	45,00
		oil			BA	14956	48,00
	lebhaft	matt lacquer forte			AN	18013	41,00
	smoked oak	design	matt lacquer forte			BA	13709
oil					BA	16208	65,00
am. walnut	design	matt lacquer forte			BA	11030	89,00
		oil			BA	14633	92,00
	struktur/Splint	matt lacquer forte			BA	14277	65,00
		oil			BA	14954	68,00
beech steamed	design	matt lacquer forte			BA	11007	49,90
		oil			BA	15008	52,90
	struktur	matt lacquer forte			AN	11009	38,00
can. maple	struktur	matt lacquer forte			AN	14952	38,00

## COLOURLINE


oak	struktur calcit	pure	✓		19545	AN	43,00
	diamant	matt lacquer forte			15637	BA	54,50
		matt lacquer forte	✓		17028	BA	57,50
		oil			15635	BA	56,50
	saphir	matt lacquer forte			14066	BA	54,50
		matt lacquer forte	✓		17024	BA	57,50
		oil			15022	BA	56,50



calcit



diamant



saphir

MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oat matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		covering white	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oat matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80
ADHESIVE							
product type	product name		container	availability	prod. no.	EUR	
adhesive	Bostik Wood 180 Classic		17 kg	LA	15969	6,50 / kg	

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# Elements parallel

2-layer engineered parquet

<b>DIMENSION</b>	<b>720*240*10 mm</b>
<b>TOP LAYER</b>	approx. 4 mm
<b>CORE LAYER</b>	HDF
<b>LAYING PATTERN</b>	wide slat/upright optics
<b>PACKAGE SIZE</b>	2,419 m <sup>2</sup>
<b>PALLET SIZE</b>	177,408 m <sup>2</sup> / 32 packages
<b>WEIGHT</b>	approx. 7,9 kg / m <sup>2</sup>



wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
oak	natur	matt lacquer forte			BA	18889	80,20
	lebhaft	matt lacquer forte			BA	17008	70,00
		oil			BA	17286	76,20
<b>COLOURLINE</b>							
oak	saphir	matt lacquer forte			BA	17352	75,20
		oil			BA	17117	81,20

## ADDITIONAL FORMATS

<b>ELEMENTS 4.0 HDF</b> Dimension: 1000*100*10 mm (on request)							
wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
acacia	matt lacquer forte				11903	AU	58,20
	oil				11904	AU	60,00
ash	matt lacquer forte				14161	AU	49,60
	oil				11913	AU	51,40

<b>COMPACT 4.0 HDF</b> Dimension: 500*80*9,5 mm (on request)							
wood type	grading	surface	brushed	bevelled	availability	prod. no	EUR / m <sup>2</sup>
ash	ambiente	matt lacquer forte			AU	11981	40,00
		oil			AU	11984	40,00
smoked oak	design	matt lacquer forte			AU	12006	48,00
		oil			AU	12007	48,00
am. walnut	design	matt lacquer forte			AU	12038	54,00
		oil			AU	12039	50,00
eur. maple	select	matt lacquer forte			AU	11943	46,00
		oil			AU	11946	46,00
ash	select	matt lacquer forte			AU	15625	46,00
		oil			AU	12020	46,00
	struktur/Kern	oil			AU	12025	40,00
cherry	design	matt lacquer forte			AU	15738	50,00
		oil			AU	12032	50,00
oak Colourline	onyx	matt lacquer forte			AU	19387	45,00

# ACTUS Accessories

STAIR SYSTEMS					
product name	dimension	surface	availability	oak EUR / RM	smoked oak & am. walnut EUR / rM
stair edge profile A	40*20 mm	matt lacquer forte, oil	BA	33,20	44,80
		Colourline	BA	36,20	47,90
stair edge profile B	20*10 mm	matt lacquer forte, oil	BA	30,90	41,60
		Colourline	BA	33,90	44,70





MATCHING SKIRTING BOARDS							
product name	dimension	wood type   surface	veneer	solid	availability	prod. no.	EUR / LM
skirting board modern 40 40 / 16	40*16*2400 mm	oak matt lacquer	✓		LA	18402	4,10
		Colourline oak matt lacquer	✓		BA	colour matching the floor	6,40
		oak raw	✓		LA	18391	3,70
		white opaque	✓		LA	18394	4,10
skirting board modern 58 58 / 16	58*16*2400 mm	oak matt lacquer	✓		LA	15932	4,70
		Colourline oak matt lacquer	✓		BA	colour matching the floor	7,10
		oak raw	✓		LA	15933	4,80
angled skirting profile A	23*32*2400 mm	oak matt lacquer		✓	LA	12888	4,80
solid skirting profile B	10*35*2400 mm	oak matt lacquer		✓	LA	12910	4,80

ADHESIVE, CLEANING & CARE						
product type	product name	container	availability	prod. no.	EUR	
adhesive	Bostik Wood 180 Classic	17 kg	LA	15969	6,50 / kg	
cleaner for oiled surfaces	Adler, Legno wood floor soap	1000 ml	LA	17578	24,80 / liter	
care for oiled surfaces	Adler, Legno care oil	1000 ml	LA	17640	15,60 / liter	
cleaner for lacquered surfaces	Adler, Clean parquet cleaner	1000 ml	LA	17581	19,00 / liter	
care for lacquered surfaces	Adler, Clean parquet care	1000 ml	LA	17580	27,50 / liter	
Underlay mat	Universol Standard Alu 3IN1	8 m <sup>2</sup> /roll	18906	LA	6,80 / m <sup>2</sup>	
Underlay mat	Universol Standard 2.0	8 m <sup>2</sup> /roll	17243	LA	6,40 / m <sup>2</sup>	

You can find more detailed information on our accessories from p. 51

Prices exclusive VAT

# Skirting boards








	Angled skirting profile A, solid		Solid skirting profile B		Skirting board KS 40 40 / 18, veneered		Skirting board modern 40 40 / 16, veneered		Skirting board modern 58 58 / 16, veneered	
Dimension	23*32*2400 mm		10*35*2400 mm		40*18*2400 mm		40*16*2400 mm		58*16*2400 mm	
Packaging: 10 pieces / unit	EUR / m	prod. nr.	EUR / m	prod. nr.	EUR / m	prod. nr.	EUR / m	prod. nr.	EUR / m	prod. nr.
oak matt lacquer forte	4,30	12888	4,30	12910	3,60	17982	4,00	18402	4,70	15932
Colourline oak matt lacquer forte							6,20		7,20	
oak raw					3,40	17984	3,70	18391	4,80	15933
White opaque					4,00	17985	4,00	18394		

Prices exclusive VAT

ADHESIVE	EUR / kg	prod. no.
<b>Bostik, Bostik Wood 180 Classic, 17 kg</b> Solvent-free one-component adhesive for elastic bonding of two-layer and three-layer finished parquet	6,50	15969
<b>Bostik, Bostik Wood 200 Elastic, 17 kg</b> Solvent-free one-component adhesive for elastic bonding of solid parquet and pre-finished parquet	7,70	15970
CLEANING & CARE	EUR / litre	prod. no.
<b>Adler, Legno care oil for oiled parquet surfaces 1000 ml</b> Initial care for newly installed floors and for refreshing old floors as required depending on surface wear. Quick-drying, easy-to-use maintenance oil for the treatment of hardwood and softwood. Oiled surfaces with light soiling are cleaned, refreshed and the pleasant feel is renewed. Can be applied 1-2 times for 15-30 m <sup>2</sup> .	15,60	17640
<b>Adler, Legno wood floor soap for oiled parquet surfaces 1000 ml</b> High-quality soap for regular cleaning and care of oiled, waxed and leached wooden and parquet floors, oiled cork floors and laminate floors, sufficient for approx. 500 m <sup>2</sup> . For maintenance cleaning, apply diluted.	24,80	17578
<b>Adler, Legno cleaner for oiled parquet surfaces 1000 ml</b> Clear, colourless liquid based on mild-odour isoparaffins. Very good cleaning effect, sufficient for 50 m <sup>2</sup> . Apply undiluted cleaner to a soft cleaning cloth moistened with Legno cleaner and wipe off soiled surfaces; then wipe dry.	27,50	17620
<b>Adler, Clean parquet care for sealed parquet surfaces 1000 ml</b> Clean parquet care forms a very thin, resistant protective film with an even silky lustre effect. Good resistance to abrasion, water and household chemicals. Undiluted sufficient for 20 m <sup>2</sup> , depending on dilution up to 200 m <sup>2</sup> per litre.	27,50	17580
<b>Adler, Clean parquet cleaner for sealed parquet surfaces 1000 ml</b> Clean parquet cleaner is a special cleaner for sealed floors before using Clean parquet care. Removes dirt and stubborn stains as well as heel marks, sufficient for 40-80 m <sup>2</sup> .	19,00	17581
UNDERLAY MATS	EUR / m <sup>2</sup>	prod. no.
<b>Parquet underlay mat Universol Standard Alu 3IN1, 8 m<sup>2</sup>/roll</b> with aluminum coating as moisture protection - vapor barrier, for laying on screed. Thickness 2 mm. Compression hardness 250 kPa.	7,00	18906
<b>Parquet underlay mat Universol Standard 2.0, 8 m<sup>2</sup>/roll</b> For laying on wooden subfloors, as permeable to diffusion	6,60	17243

Prices exclusive VAT

<b>COMPOSITION</b>	2-layer parquet or B:hard
<b>SURFACE</b>	matt lacquer forte, pure or oil to match flooring
<b>STAIR EDGE</b>	lengths on demand up to max. 1500 mm
<b>COVER STRIP</b>	lengths on demand up to max. 1500 mm

	FLOOR	SURFACE	oak EUR/LM	smoked oak & am. walnut EUR/LM
			PRICE	
Stair edges profile A 40*20 mm 	Actus	matt lacquer forte, oil	34,20	44,80
		Colourline	37,30	47,90
	Epico	matt lacquer forte, oil	34,20	44,80
		Colourline	37,30	47,90
	B:hard	matt lacquer forte, oil	34,20	44,80
		Colourline	37,30	47,90
Stair edges profile B 20*20 mm 	Actus	matt lacquer forte, oil	31,70	41,80
		Colourline	34,80	44,90
	Epico	matt lacquer forte, oil	31,70	41,80
		Colourline	34,80	44,90
Stair edges profile B 20*10 mm 	B:hard	matt lacquer forte, oil	31,80	41,60
		Colourline	34,90	44,70
Cover strip 40*10 mm 	Actus	matt lacquer forte, oil	34,20	44,50
		Colourline	37,30	47,60
	Epico	matt lacquer forte, oil	34,20	44,50
		Colourline	37,30	47,60
	B:hard	matt lacquer forte, oil	34,50	44,50
		Colourline,	37,60	47,60
Price per running meter (except cover strip 500*40*10 mm); Shorter lengths than 1 m will be charged with 1 rm.				
			<b>€ / unit</b>	
Cover strip 500*40*10 mm for covering stair sides fixed lenght! 	Actus	matt lacquer forte, oil	27,40	35,50
		Colourline	29,50	37,60
	Epico	matt lacquer forte, oil	27,40	35,50
		Colourline	29,50	37,60
	B:hard	matt lacquer forte, oil	27,40	35,50
		Colourline	29,50	37,60

Prices exclusive VAT

## General

These General Terms and Conditions are an integral part of all contracts concluded between Stöckl Ges.m.b.H (hereinafter referred to as Stöckl Parkett) and the respective purchaser, in particular contracts for the manufacture and delivery (sale) of products of Stöckl Parkett as well as contracts for planning and project services and shall apply without restriction. Any deviations from these General Terms and Conditions shall only apply insofar as they have been agreed in writing by the Contracting Parties. The general terms and conditions of the customer shall not apply, even if Stöckl Parkett has not expressly objected to them. Acts of performance by Stöckl Parkett shall not constitute approval of the general terms and conditions of the customer. By the act of placing an order, the customer expressly acknowledges the validity of these General Terms and Conditions.

### 1. Offer and conclusion of contract

**1.1** All offers from Stöckl Parkett are subject to change and are only valid for undivided orders. Stöckl Parkett is not obliged to accept orders from the customer.

**1.2** Orders shall be placed in writing by fax, email or by telephone to the address, telephone and fax number last notified by Stöckl Parkett. The customer shall be bound to its order for a period of 2 weeks. Contracts shall be concluded by the subsequent written order confirmations by Stöckl Parkett or by corresponding performance. Order confirmations shall be sent to the address the customer gave in its order or, in the case of an ongoing business relationship, to the last known address. The subject matter of the contract shall only be the performances of Stöckl Parkett specified in the order confirmation. Additional performances shall be invoiced separately. The right to minor, material-related deviations from the illustrations or descriptions in catalogues and samples on which the order is based, in particular deviations in colour or grain, is reserved. Such material-related deviations do not constitute a defect.

**1.3** By placing an order, the purchaser confirms that it is aware of the information sheets, installation instructions and hazard warnings published on the homepage [www.stoeckl.com](http://www.stoeckl.com) and that these form an integral part of the contract.

### 2. Prices

**2.1** All prices quoted are Euro prices. The prices are net prices and do not include taxes and duties.

**2.2** The prices are always ex works; packaging, transport, customs and insurance and any assembly work are not included.

**2.3** The prices quoted are based on the price lists valid on the date of the offer and are subject to confirmation. The customer must be notified in writing of any price increases at least 2 months in advance, together with information about the date on which the new prices come into force.

### 3. Deliveries and transfer of risk

**3.1** The place of delivery and the place of transfer of risk for deliveries ex works shall be the factory of Stöckl Parkett. Stöckl Parkett shall notify the customer that the goods are ready for collection.

**3.2** Should delivery free domicile have been agreed, the place of delivery and the place of transfer of risk shall be the delivery address specified by the customer.

**3.3** Stöckl Parkett's delivery periods and dates are approximate and are to be understood as planned dates and, for this reason, are not binding. No fixed dates shall be recognised, even without express objection. Delivery dates shall be ex works or free domicile, depending on the agreement. Stöckl Parkett shall be entitled to extend or postpone delivery deadlines and dates appropriately for reasons set out in points 3.5 or 3.6 as well as in the event of the existence of other obstacles which have not been caused by at least grossly negligent behaviour on the part of Stöckl Parkett. Stöckl Parkett shall inform the customer of such a delay in delivery as soon as possible. The customer shall not be entitled to compensation for any costs arising from such delays, such as waiting or downtimes or contractual penalties.

**3.4** Stöckl Parkett shall be entitled to make partial and advance deliveries and to invoice such deliveries separately. Stöckl Parkett shall be entitled to over-deliver up to 10% of the value of the goods per order.

**3.5** Stöckl Parkett shall not be liable for delay or the impossibility of delivery as a result of force majeure (e.g. strike, fire, war, transport disruptions, theft, etc.) or for reasons that are not within the sphere of influence of Stöckl Parkett, e.g. due to the customer's failure to complete necessary preparatory work in good time.

**3.6** Should performance be prevented as a result of force majeure or for reasons beyond the control of Stöckl Parkett, the latter shall be entitled to cancel any outstanding delivery commitments. This shall also apply if the impediment to delivery is due to default or non-performance by a pre-supplier.

**3.7** Stöckl Parkett shall be liable for delay or the impossibility of delivery or of a partial delivery for reasons other than those stated in points 3.5 or 3.6, insofar as it has acted with at least gross negligence. The limitation of liability in point 8.1 shall apply.

**3.8** Impossibilities of performance, in particular for reasons given in points 3.5 and 3.6, shall entitle the customer to withdraw from the contract. The customer shall also be entitled to withdraw from the contract in the event of default on the part of Stöckl Parkett by granting a period of grace of at least four weeks. However, if the performance is divisible, the customer is only entitled to a corresponding partial withdrawal.

**3.9** The customer shall bear the risk of loss or deterioration of the object of purchase from the time of handover at the place of delivery in accordance with points 3.1 and 3.2. The customer is obliged to accept the goods without delay, unless they have significant defects. Any additional costs incurred by Stöckl Parkett as a result of the delay in accepting delivery shall be borne by the customer and invoiced to it. Should the customer - in the case of delivery ex works - have been notified that the goods are ready for collection, the goods shall be placed in storage for the account and at the risk of the customer after the expiry of three working days.

**3.10** Forward deliveries shall be carried out at extra cost and only with the express written confirmation of Stöckl Parkett.

### 4. Packaging and transport

**4.1** The timely clarification of all technical details relevant to the delivery or dispatch is a prerequisite for compliance with agreed delivery or dispatch dates.

**4.2** Stöckl Parkett shall pack the goods at its own discretion. The packaging will not be taken back.

**4.3** Transport insurance shall only be taken out at the express request of the customer and for the account of the same.

**4.4** The exchange of Euro pallets is to take place immediately upon delivery. Should no exchange take place, a flat rate of € 20.00 per pallet will be charged.

**4.5** Transport damage, defects or shortfalls are to be noted by the recipient of the goods immediately on the delivery note of the carrier and a copy sent to Stöckl Parkett.

### 5. Payment

**5.1** Unless other terms of payment have been agreed in writing, payment shall be made within 14 days of the invoice date. The same shall apply to partial invoices.

**5.2** In the event of a delay in payment, interest on arrears shall be charged monthly at 1% of the invoice amount for the period from the due date until receipt of payment. In the event of late payment, reminder fees of 1% of the invoice amount, but not more than € 30.00, shall be charged for each reminder. Should a reminder be unsuccessful, a collection agency is to be commissioned with the collection of the debt at the expense of the customer. Stöckl Parkett shall be entitled to reasonable compensation from the customer for all collection costs incurred as a result of the customer's default in payment, unless it is not he/she who is responsible for the default in payment.

**5.3** All payments by the customer shall first be set off against outstanding interest and expenses and only then against the goods delivered under retention of title.

**5.4** The invocation of defects does not release the customer from its obligation to comply with the terms of payment. Stöckl Parkett does not acknowledge any defectiveness of the goods or any obligation to remedy defects by negotiating notices of defects.

**5.5** A right of retention on the part of the customer is excluded.

**5.6** Offsetting with counterclaims of the customer against claims of Stöckl Parkett arising from this contractual relationship is excluded.

**5.7** If the financial circumstances of the customer deteriorate or if Stöckl Parkett only becomes aware after conclusion of the contract that the financial circumstances of the customer are already so bad at the time of conclusion of the contract that the fulfilment of the customer's contractual obligations is at risk, Stöckl Parkett may refuse its performance until the counter-performance has been effected or secured. At the time of delivery, the customer's credit insurance must provide sufficient cover for the invoice amount against non-payment by the customer. If this cover is not available to a sufficient extent, Stöckl Parkett shall be entitled to withdraw from the contract or to demand corresponding advance payments.

**5.8** In the event of non-fulfilment of payment agreements, Stöckl Parkett may withdraw from the contract by setting or granting a reasonable period of grace. Stöckl Parkett shall not be obliged to make any further deliveries for the duration of the customer's default in payment of invoice amounts due, default interest and/or expenses. In the event of the inability of the customer to pay, Stöckl Parkett may withdraw from the contract without granting a period of grace. In such a case, Stöckl Parkett may take back products already delivered but not paid for.

**5.9** Stöckl Parkett reserves the right to invoice the customer for any claims for damages as a result of non-compliance with payment agreements.

### 6. Retention of title

**6.1** All objects of purchase shall remain the property of Stöckl Parkett until the purchase price has been paid in full, including ancillary charges.

**6.2** In order to secure the goods delivered under retention of title, they shall be stored separately and protected from moisture and insured against fire and theft at the customer's expense.

**6.3** The resale of the goods subject to retention of title shall only be permitted with the express written consent of Stöckl Parkett.

**6.4** In the event of resale of the goods subject to retention of title, the purchaser of the goods subject to retention of title hereby assigns its claims arising from this contract of sale to Stöckl Parkett. This assignment for security purposes shall be noted in the books of the conditional purchaser on each page of the OP list, stating the date of the assignment agreement (conclusion of this contract) and the full company name of Stöckl Parkett (assignee). This note must in any case also be made in the list of open debtor items. The customer also undertakes to inform its purchaser of the assignment of the claim. Payments received by the customer from its purchaser shall be forwarded to Stöckl Parkett without delay.

**6.5** Should the goods subject to retention of title be treated or processed by the customer, the retention of title shall also extend to the resulting new item. Should the goods be processed, mixed or joined, Stöckl Parkett shall acquire co-ownership of the resulting new items. In this case, the customer shall be deemed to be the custodian.

**6.6** The customer shall not be entitled to pledge the goods subject to retention of title to third parties or to transfer them to the ownership by way of security or to dispose of these goods for the benefit of third parties in any other way. The customer undertakes to notify Stöckl Parkett as soon as possible of any compulsory seizure of the goods delivered under retention of title or any other access by third parties to the same. In the event of seizure or other claims by third parties, the customer shall inform the third party that Stöckl Parkett is the owner of the goods.

### 7. Warranty

**7.1** The customer shall inspect the goods after delivery and notify Stöckl Parkett immediately if there is a defect. The duty to inspect shall be carried out in accordance with ÖNorm EN 13228. In particular, moisture content, grading characteristics, dimensional stability and damage must be checked upon delivery. Single strips must have a moisture content of 7% to 11% when the product is first delivered. The moisture content must be measured with an electrical device in accordance with EN 13183-2. In case of dispute, the moisture content must be measured using the kiln-drying method in accordance with EN 13183. Defective products must not be processed.

s (unless they are consumers).

**7.2** If, in the ordinary course of business, an inspection of the goods is not possible upon receipt of the goods, Stöckl Parkett shall be notified of this circumstance and any defect that can be detected during a subsequent inspection shall be notified in writing within a reasonable period not exceeding 14 days after delivery. This shall also apply to incorrect and differing deliveries. If defects only become apparent at a later date, these must also be notified within a reasonable period not exceeding 14 days, otherwise the goods, also with regard to these defects, shall be deemed to have been approved. By negotiating a notice of defects, Stöckl Parkett does not waive the objection that the notice of defects was raised too late or was not adequately specified.

**7.3** The warranty period is 6 months. Stöckl Parkett shall be entitled to remedy defects and/or damage at its discretion within a reasonable period of time by means of replacement delivery or improvement. As long as Stöckl Parkett makes use of this right, the customer shall not be entitled to rescission, price reduction or monetary compensation.

**7.4** Return shipments of goods require the express and written consent of Stöckl Parkett and shall be at the expense and risk of the customer.

**7.5** In the event of unjustified notices of defects which cause extensive subsequent inspections, the costs of the inspection may be charged to the customer.

**7.6** Any treatment or processing of the goods shall lead to the exclusion of the warranty. The processing of the products (e.g. sanding of the parquet floor) can change the specified technical properties (in particular the fire classes), as can improper care (e.g. can change the slip resistance). In such cases, there is no right to claim under warranty. Specified technical properties always only refer to factory surfaces.

**7.7** The filing of warranty claims does not release the customer from its payment obligation (see point 5.4).

**7.8** If a warranty case arises in the relationship between the customer and its customers, recourse against Stöckl Parkett pursuant to Section 933 b of the Austrian Civil Code (ABGB) shall be excluded. The customer shall also exclude the right of recourse in accordance with Section 933 b ABGB vis-à-vis its customers (unless they are consumers).

## **8. Liability**

**8.1** Stöckl Parkett shall only be liable for damage incurred by the customer to the extent that it or one of its vicarious agents is guilty of intent or gross negligence. Liability is generally limited to an amount of 5% of the value of the goods of the respective delivery.

**8.2** Liability for loss of profit, consequential damages or for damages due to third-party claims is excluded.

**8.3** Stöckl Parkett accepts no liability for damage resulting from improper handling of the delivered goods, nor for improper installation or improper cleaning of such. Nor shall any liability be accepted for work carried out by third parties on the delivered goods at a later date.

**8.4** The liability of Stöckl Parkett and its sub-suppliers for any consequential harm caused by a defect shall only exist within the framework of the mandatory provisions of the Product Liability Act.

**8.5** Stöckl Parkett shall only be liable for a breach of a duty to warn by Stöckl Parkett or its vicarious agents in accordance with Section 1168 a ABGB to the extent that it is at least guilty of gross negligence.

## **9. Returned goods, cancellation**

**9.1** Returned goods, i.e. goods remaining after processing to a maximum of 10% of the original respective delivery, can only be taken back and credited within 10 working days from the date of issue of the delivery note, against payment of a processing fee of 25% of the value of the goods and in complete packaging units, as well as in perfect condition (wood moisture 9+/- 2%). Adhesives and varnishes can only be taken back in original sealed containers. Returns are excluded for commission orders of merchandise and custom-made products. Claims for damages are excluded in the case of returned goods. The costs of the return transport shall be borne by the customer.

**9.2** In the event of an order being cancelled after the order confirmation has been prepared and sent by Stöckl Parkett, the purchaser undertakes to pay a handling fee of 25% of the order value. Cancellation is excluded in the case of merchandise and custom-made products.

## **10. Other provisions**

**10.1** Should one or more provisions of these GTC or of contracts of the parties be invalid or unenforceable in whole or in part, the validity of the remaining provisions shall not be affected by this. Invalid or unenforceable provisions shall be replaced by analogous valid provisions which come as close as possible to the economic purpose of the invalid or unenforceable provision.

**10.2** The application of Section 934 of the ABGB (reduction by more than half) is excluded.

**10.3** Stöckl Parkett shall be entitled at any time to correct obvious errors, such as typing and calculation errors in offers, cost estimates, order confirmations, delivery notes and invoices.

**10.4** Written declarations (also by fax or email) shall be deemed to have been received if they are sent to the address last notified by the customer.

**10.5** These General Terms and Conditions shall supplement the contracts concluded between Stöckl Parkett and the customer. In the event of contradictions with the provisions in the contract or if the contract contains more extensive provisions, the contract shall take precedence over the General Terms and Conditions.

**10.6** Only written agreements shall apply between the Contracting Parties. Any amendment to the General Terms and Conditions must also be made in writing. This shall also apply to any waiver of the written form requirement. Oral agreements shall not be legally binding. The customer acknowledges that employees or third parties engaged by Stöckl Parkett shall not be entitled to make any promises that deviate from the contractually agreed main performance obligations (such as payment agreements, quality promises, delivery conditions).

**10.7** Stöckl Parkett shall be entitled to amend the General Terms and Conditions. Stöckl Parkett shall inform the customer of such changes to the General Terms and Conditions and the date of the change at least one month before the date of the change. The amendment to the General Terms and Conditions shall come into force should the customer not object to the amendment within one month of being informed.

## **11. Applicable law, place of performance, place of jurisdiction**

**11.1** Austrian law shall apply to this contractual relationship. The United Nations Convention on Contracts for the International Sale of Goods (UN Sales Convention) shall not apply to this contract.

**11.2** The exclusive place of performance for all obligations arising from or in connection with contractual obligations between Stöckl Parkett and the customer shall be A-3331 Kematen/Ybbs. The exclusive jurisdiction of the court responsible for A-3300 Amstetten is agreed for all disputes between Stöckl Parkett and the customer, including the question of the valid conclusion of the contract as well as its pre- and post-contractual effects.

# STÖCKL PARKETT

FIRST STEP FOR LIVING

STÖCKL Gesellschaft m.b.H  
Heide, 25. Straße 1  
A-3331 Kematen an der Ybbs  
T: +43 (0)7448 / 2178  
E: [office@stoeckl.com](mailto:office@stoeckl.com)



[www.stoeckl.com](http://www.stoeckl.com)